

There are certain ingredients a cook simply can't do without. They're the essentials. The items that are a part of every well-stocked pantry. Ingredients like herbs and spices, flour and sugar, rice and pasta. They're valued for their versatility in making a wide range of menu items come to life – much like a Jenn-Air® slide-in or free-standing range.

Consider the Jenn-Air® dual-fuel ranges. These ranges offer an electric self-cleaning convection oven combined with a gas burner cooking surface for the ultimate in cooking flexibility. Ranges featuring an electric oven with two-speed, MultiMode® convection cooking system offer five convection modes for consistently outstanding results, along with Auto Convection Conversion, which takes the guesswork out of convection cooking.

Electric slide-in ranges offer the "Fastest to Boil"\* performance of our 9"/6" Custom Control element, combined with an ultra-low setting for heating delicate sauces. Our 12"/9"/6" Triple-Choice<sup>TM</sup> Element enables the cooking surface and pan size to be more evenly matched for greater versatility. Convenient warming drawers warm plates and breads, or keep food warm and ready to serve at a moment's notice.

Jenn-Air® gas slide-in and free-standing ranges feature a high performance 16,000 BTU PowerBurner that provides quick response and a simmer burner that reduces to 650 BTUs for heating delicate sauces. Select models feature a unique burner that offers the convenience of three settings in one for excellent cooking control and flexibility. Whether you choose a Jenn-Air® professional, slide-in or free-standing range, you'll appreciate the attention to detail that goes into our many distinctive choices. With their incredible combination of cooking flexibility and style, it's no wonder Jenn-Air® ranges have become a staple for today's busy cooks.





#### 48" PRO-STYLE® GAS RANGE WITH CONVECTION

PRG4810NP (shown with optional 22" backsplash)

➤ Sealed burner cooking surface ➤ Two Dual Flame™ burners that deliver 15,000 BTUs, yet reduce to 570 BTU setting ➤ Four standard burners that deliver 15,000 BTUs ➤ Electronic ignition with Flame-Sensing™ reignition ➤ Fixed stainless steel griddle with cover ➤ 5.3 cu. ft. bake/broil oven with Convect Bake/Roast and Convect Broil options ➤ Infrared broiler ➤ Two oven lights ➤ 2.2 cu. ft. secondary bake oven with window ➤ Standard clean ovens ➤ Pro-Style® Stainless design with stainless steel knobs, stainless steel towel bar handle with diamond-etched grip and porcelain-on-cast iron black matte burner grates and caps ➤ Porcelain-on-cast iron wok ring included ➤ Backsplash required (not included) ➤ For use with natural gas only ➤ PRG4810LP (not shown) has the same features as

### Pro-Style® Ranges

Jenn-Air® Pro-Style® gas and dual-fuel ranges provide the professional look and performance gourmet cooks are looking for, with features like:

Stainless steel towel bar handle with diamond-etched grip offers a bold look and embellished grasp for ease of opening and closing the oven door. Oversized knobs on the upfront control panel add to the commercial look and offer infinite settings for complete cooking control.

Gas cooking surfaces feature **Dual Flame™ burners** that provide quick heat-up for rapid boiling and pan searing, yet reduce to an ultra low setting ideal for heating delicate sauces. A **modular**, **downdraft model** is also available that includes our **E-ven-Heat™ grill assembly** plus an ultra high output PowerBurner and a simmer burner (shown on page 34). To combine gas and electric cooking advantages, **dual-fuel models** are available with a self-cleaning electric convection oven.

Adding a **stainless steel backsplash** to your range creates a dramatic kitchen focal point. A **matching hood** and **soffit chimney** are also available.

Whether your kitchen space is designed for a free-standing range, slide-in range, or downdraft range, Jenn-Air has a Pro-Style® model that will add power and beauty to your home.



#### 36" PRO-STYLE® GAS RANGE WITH CONVECTION

**PRG3610NP** (shown with optional 12" backsplash)

➤ Sealed burner cooking surface ➤ Two Dual Flame<sup>TM</sup> burners that deliver 15,000 BTUs, yet reduce to 570 BTU setting ➤ Four standard burners that deliver 15,000 BTUs ➤ Electronic ignition with Flame-Sensing<sup>TM</sup> reignition ➤ 5.3 cu. ft bake/broil oven with Convect Bake/Roast and Convect Broil options ➤ Infrared broiler ➤ Two oven lights ➤ Standard clean oven ➤ Pro-Style® Stainless design with stainless steel knobs, stainless steel towel bar handle with diamond-etched grip and porcelain-on-cast iron black matte burner grates and caps ➤ Porcelain-on-cast iron wok ring included ➤ Backsplash required (not included) ➤ For use with natural gas only ➤ PRG3610LP (not shown) has the same features as PRG3610NP except it is set for LP gas



# 36" PRO-STYLE® DUAL-FUEL RANGE WITH CONVECTION PRD3630NP

(shown with optional 12" backsplash)

- Gas sealed burner cooking surface combined with electric oven ➤ Two
   Dual Flame™ burners that deliver 15,000 BTUs, yet reduce to 570 BTU setting

   Four standard burners that deliver 15,000 BTUs ➤ Electronic ignition with
   Flame-Sensing™ reignition ➤ 4.7 cu. ft. bake/broil oven with Convect

   Bake/Roast and Convect Broil options ➤ Self-clean oven with automatic lock
   8-pass broil element ➤ Two oven lights ➤ Convertible to LP ➤ Pro-Style®

   Stainless design with stainless steel knobs, stainless steel towel bar handle with diamond-etched grip and porcelain-on-cast iron black matte burner grates
   and caps ➤ Porcelain-on-cast iron wok ring included
  - ➤ Backsplash required (not included)



#### 30" PRO-STYLE® GAS RANGE WITH CONVECTION PRG3010NP

➤ Sealed burner cooking surface ➤ One Dual Flame™ burner that delivers 15,000 BTUs, yet reduces to 570 BTU setting > Three standard burners that deliver 15,000 BTUs ➤ Electronic ignition with Flame-Sensing™ reignition > 4.2 cu. ft bake/broil oven with Convect Bake/Roast and Convect Broil options > Infrared broiler > Two oven lights > Standard clean oven ➤ Pro-Style® Stainless design with stainless steel knobs, stainless steel towel bar handle with diamond-etched grip and porcelain-on-cast iron black matte burner grates and caps ➤ Porcelain-on-cast iron wok ring included > Comes with 9" backsplash > For use with natural gas only > PRG3010LP (not shown) has the same features as PRG3010NP except it is set for LP gas.



### 30" PRO-STYLE® DUAL-FUEL RANGE WITH CONVECTION PRD3030NP

- > Gas sealed burner cooking surface combined with electric oven
- ➤ One Dual Flame<sup>TM</sup> burner that delivers 15,000 BTUs, yet reduces to 570 BTU setting > Three standard burners that deliver 15,000 BTUs
- ➤ Electronic ignition with Flame-Sensing<sup>TM</sup> reignition ➤ 4.0 cu. ft. bake/broil oven with Convect Bake/Roast and Convect Broil options
- ➤ Self-clean oven with automatic lock ➤ 8-pass broil element ➤ Two oven lights > Convertible to LP > Pro-Style® Stainless design with stainless steel knobs, stainless steel towel bar handle with diamond-etched grip and porcelain-on-cast iron black matte burner grates and caps
- ➤ Porcelain-on-cast iron wok ring included ➤ Comes with 9" backsplash



#### 22" PRO-STYLE™ BACKSPLASH

> Stainless steel finish > 22" height > Includes shelf (Shown on PRG4810NP range) PRAG3022 for PRG3010NP/LP range PRAD3022 for PRD3030NP range PRAG3622 for PRG3610NP/LP range PRAD3622 for PRD3630NP range PRAG4822 for PRG4810NP/LP range



#### 12" PRO-STYLE™ BACKSPLASH

> Stainless steel finish > 12" height (Shown on PRD3630NP range) PRAG3612 for PRG3610NP/LP range PRAD3612 for PRD3630NP range PRAG4812 for PRG4810NP/LP range



#### ISLAND TRIM BACKSPLASH

> Stainless steel finish > 1.5" height > For use with range in island or non-combustible wall installation (Shown on PRD3630NP range) PRAG3001 for PRG3010NP/LP range PRAD3001 for PRD3030NP range PRAG3601 for PRG3610NP/LP range PRAD3601 for PRD3630NP range PRAG4801 for PRG4810NP/LP range

Food is our common ground, a universal experience.

JAMES BEARD



### PRO-STYLE™ WALLSPLASH

- ➤ Stainless steel finish ➤ Two food warming/storage shelves > Recommended to use with island trim backsplash
  - ➤ Use in conjunction with PRAG/D model backsplash

JXA9003CDP for PRG3010NP/LP

and PRD3030NP range

JXA9002CDP for PRG3610NP/LP

and PRD3630NP range

JXA9001CDP for PRG4810NP/LP range

### SLIDE-IN RANGES

Jenn-Air® slide-in ranges coordinate beautifully with surrounding cabinets for a built-in style that complements any décor. They also offer plenty of cooking versatility, thanks to features like these:

Menu-driven oven controls with VFD display guide the cook through a variety of selections and options, making oven operation smooth. Keypad entry offers precise time and temperature settings. Two timers make it easy to keep track of what's cooking on the surface and in the oven. Several control functions may be customized allowing personalization of the range to individual needs.

A variety of cooktop surfaces and cooktop-oven combinations are offered. Gas and electric modular models offer indoor grilling anytime of the year and the option of replacing the grill with burners or

cartridges. Self-cleaning ovens are available with bake/broil function or with added MultiMode® convection options. Dual-fuel models provide a gas cooking surface and an electric convection oven. Gas models provide sealed burners, electric models feature smooth glass-ceramic surfaces, and both types have ultra high and ultra low heating capabilities. Downdraft models keep the kitchen air fresh and can be installed in peninsula or island settings. With Jenn-Air® slide-in ranges, the choices go on and on, ensuring you'll find a model perfectly suited to your kitchen design.

Choose from Pro-Style® Stainless models with commercial styling, Euro-Style Stainless design with sleek stainless steel accented by the subtle appeal of curved fronts and stainlesss steel towel bar handles or Floating Glass design with smooth and elegant curved glass fronts and stainless steel towel bar handles.



# 30" PRO-STYLE® MODULAR DUAL-FUEL DOWNDRAFT WITH CONVECTION JDS9865BDP

Gas cooktop combined with electric oven > Two-speed ventilation fan > Comes with E-ven Heat<sup>™</sup> grill assembly (grilling in left bay only) and two sealed burners with Flame-Sensing<sup>™</sup> automatic reignition > Accepts two-burner module accessory in place of grill > 4.3 cu. ft.
 CustomClean<sup>™</sup> self-cleaning bake/broil oven > MultiMode® Convection with Auto Convection Conversion > Menudriven electronic oven controls > Cook & Hold, Favorite Settings, Rapid Preheat and Keep Warm<sup>™</sup> options

- > Temperature Probe > Delay-start cooking and cleaning
- ➤ Electronic ignition ➤ Convertible to LP ➤ Three oven racks
- Pro-Style® Stainless design with black satin-matte burner grates and caps and stainless steel towel bar handle with diamond-etched grip (Available Spring 2006)





# 30" PRO-STYLE® GAS WITH CONVECTION JGS8860BDP

Four sealed burners with Flame-Sensing™ automatic reignition > Ultra high performance 16,000 BTU
 PowerBurner and ultra low burner that reduces to 650 BTU
 > EvenThree™ burner that delivers 15,000 BTU yet reduces to 750 BTU > 4.5 cu. ft. CustomClean™ self-cleaning bake/broil oven > MultiMode® convection with Auto

Convection Conversion > Menu-driven electronic
oven controls > Cook & Hold, Favorite Settings, Rapid
Preheat and Keep Warm™ options > Temperature Probe

> Delay-start cooking and cleaning > Three oven racks

➤ Warming drawer ➤ Porcelain-on-cast iron burner grates ➤ Pro-Style® Stainless design with black satin-matte burner grates and caps and stainless steel towel bar handles with diamond-etched grip

(Available Spring 2006)





## EVENTHREETM SEALED BURNER

The unique design of our EvenThree™ sealed burner offers the power of 15,000 BTUs for quick heat-up (both rings lit on high setting), along with a versatile 3,000 BTU setting (inner ring only lit on high) and a 750 BTU warm setting. (inner ring on low setting) for excellent cooking control and flexibility in a single burner position.





AN INSIDE LOOK. Always attractive on the outside, you'll find that Jenn-Air® slide-in ranges offer an appealing array of gourmet features on the inside too. Models are available with 4.3 cu. ft. or 4.5 cu. ft. ovens, the largest capacity available among slide-in ranges. Two-speed, MultiMode® convection features a unique butterfly element and offers five convection modes including Convect Bake, Convect Roast, and Convect Pastry, along with the ease of Auo Convection Conversion. Plus the unique Drying Option means you can easily dry herbs, vegetables, fruits, and even flowers, year

round. And the **Thaw and Serve option** thaws ready-to-serve frozen foods such pies and cakes conveniently and easily. Our **Bread Proofing feature** protects bread dough from room temperature changes or drafts while yeast is rising. All models feature **Cook & Hold**, **Favorite Settings and Keep Warm™ options** that make preparing and serving gourmet foods easier than ever.



# 30" MODULAR DUAL-FUEL DOWNDRAFT WITH CONVECTION IDS9860BD

➤ Gas cooktop combined with electric oven ➤ Twospeed ventilation fan ➤ Comes with E-ven Heat<sup>™</sup>
grill assembly (grilling in left bay only) and two
sealed burners with Flame-Sensing<sup>™</sup> automatic reignition ➤ Accepts two-burner module accessory in
place of grill ➤ 4.3 cu. ft. CustomClean<sup>™</sup> self-cleaning
bake/broil oven ➤ MultiMode® convection with Auto
Convection Conversion ➤ Menu-driven electronic
oven controls ➤ Cook & Hold, Favorite Settings,
Rapid Preheat and Keep Warm<sup>™</sup> options
➤ Temperature Probe ➤ Delay-start cooking and

➤ Temperature Probe ➤ Delay-start cooking and cleaning ➤ Electronic ignition ➤ Convertible to LP

➤ Three oven racks ➤ Curved front styling ➤ Available in Euro-Style Stainless design with black satin-matte burner grates and caps (shown) or Floating Glass design in black or white with black satin-matte burner grates and caps, with Euro-Style stainless steel towel bar handle

(Available Spring 2006)





# 30" MODULAR ELECTRIC DOWNDRAFT WITH CONVECTION

#### JES9860BA

(shown with optional JEA8120 radiant cartridge–see page 49)

- ➤ Two-speed ventilation fan ➤ Comes with grill assembly (grilling in left bay only) and open bay
- ➤ Both bays accept Designer line radiant or coil element cartridge ➤ 4.3 cu. ft. CustomClean<sup>™</sup> self-cleaning bake/broil oven ➤ MultiMode® convection with Auto Convection Conversion
- ➤ Menu-driven electronic oven controls ➤ Cook & Hold, Favorite Settings, Rapid Preheat and Keep Warm™ options ➤ Temperature Probe ➤ Delay-start cooking and cleaning ➤ Three oven racks ➤ Curved front styling ➤ Available in Euro-Style Stainless design with black accents or Floating Glass design in black or white (shown), with Euro-Style stainless steel towel bar handle

(Available Spring 2006)





#### **30" MODULAR ELECTRIC DOWNDRAFT**

#### JES9750BA

(Shown with optional JEA8120 radiant cartridge—see page 49)

- ➤ Two-speed ventilation fan ➤ Comes with grill assembly (grilling in left bay only) and open bay
- ➤ Both bays accept Designer line radiant or coil element cartridge ➤ 4.3 CustomClean™ self-cleaning bake/broil oven ➤ Menu-driven electronic oven controls ➤ Favorite Settings and Keep Warm™ options ➤ Delay-start cooking and cleaning ➤ Two oven racks ➤ Curved front styling ➤ Available in Euro-Style Stainless design with black accents or Floating Glass design in black (shown) or white, with Euro-Style stainless steel towel bar handle

(Available Spring 2006) (Not available in Canada) Jenn-Air® Slide-In Ranges with Downdraft Ventilation have a two-speed fan that pulls smoke, steam and cooking odors down and out of the kitchen, eliminating the need for an overhead hood. Modular models are available with a grill assembly and two sealed burners (gas models), or an open bay which accepts a radiant or coil element cartridge (electric models). The grill assembly is interchangeable with cooking cartridges, or can be used with the griddle accessory for even more cooking flexibility. Models are also offered that combine the advantages of downdraft ventilation with the sleek, smooth style of our glass-ceramic cooking surface.



# 30" ELECTRIC DOWNDRAFT WITH CONVECTION JES9900BA

- Two-speed ventilation fan ➤ Glass-ceramic cooking surface
   4.3 cu. ft. CustomClean™ self-cleaning bake/broil oven
- ➤ MultiMode® convection with Auto Convection Conversion
- Menu-driven electronic oven controls > 9"/6" CustomControl dual element > 9"/6" Dual-Choice™ element > Two 6" Cook & Warm elements > Cook & Hold, Favorite Settings, Rapid Preheat and Keep Warm™ options > Temperature Probe > Delay-start cooking and cleaning > Three oven racks > Curved front styling > Available in Euro-Style Stainless design with black accents or Floating Glass design in black (shown) or frost white, with Euro-Style stainless steel towel bar handle (Available Spring 2006)







# 30" ELECTRIC DOWNDRAFT WITH CONVECTION JES9800BA

- Two-speed ventilation fan ➤ Glass-ceramic cooking surface
   4.3 cu. ft. CustomClean™ self-cleaning bake/broil oven
- ➤ MultiMode® convection with Auto Convection Conversion
- Menu-driven electronic oven controls > 9"/6" Dual-Choice™
  element > Cook & Hold, Favorite Settings, Rapid Preheat and
  Keep Warm™ options > Temperature Probe > Delay-start
  cooking and cleaning > Three oven racks > Curved front styling
- ➤ Available in Euro-Style Stainless design with black accents or Floating Glass design in black, frost white (shown) or natural bisque, with Euro-Style stainless steel towel bar handle (Available Spring 2006)

(Not available in Canada)



### 9"/6" CUSTOMCONTROL ELEMENT

Our CustomControl element utilizes an electronic sensor to constantly monitor and adjust heat output for precise, consistent temperature control. Thanks to its "Fastest to Boil"\* performance, the ultra-high setting heats stir-fry with ease while ultra-low settings are perfect for sauces.



 $^*$ Based on a comparison of leading slide-in range brands with 9"/6" element on black glass.

Jenn-Air® slide-in electric ranges offer a variety of element choices and combinations. Our 9"/6" CustomControl element provides "Fastest to Boil"\* performance along with an ultra low setting for maximum heating efficiency. You'll appreciate the flexibility of the extra large 12"/9"/6" Triple-Choice™ element or 9"/6" Dual-Choice™ element that maximizes heating power for larger pans, yet may also be used for small pans. The 6" Cook and Warm element provides the flexibility of a fully-functioning cooking element that reduces to an ultra low setting for keeping food warm. And the Warming Center™ element is designed just for keeping food warm while the finishing touches are put on the meal.

 $^st$ Based on a comparison of leading slide-in range brands with 9"/6" element on black glass.



#### 30" ELECTRIC WITH CONVECTION JESS850BA

> Glass-ceramic cooking surface > 4.5 cu. ft. CustomClean™ self-cleaning bake/broil oven > MultiMode® convection with Auto Convection Conversion > Menu-driven electronic oven controls > 12"/9"/6" Triple-Choice™ element > 9"/6" CustomControl dual element > 6" Cook & Warm element > Warming Center™ element > Cook & Hold, Favorite Settings, Rapid Preheat and Keep Warm™ options > Temperature Probe > Hidden bake element > Delay-start cooking and cleaning > Three oven racks > Warming drawer > Curved front styling > Available in Euro-Style Stainless design or Floating Glass design in black(shown), frost white or bisque, with Euro-Style stainless steel towel bar handle (Available Spring 2006)

(Bisque not available in Canada)







#### 30" ELECTRIC JES8750BA

- ➤ Glass-ceramic cooking surface ➤ 4.5 cu. ft. CustomClean<sup>TM</sup> self-cleaning bake/broil oven ➤ Menu-driven electronic oven controls ➤ 12"/9"/6"

  Triple-Choice<sup>TM</sup> element ➤ 9"/6" Dual-Choice<sup>TM</sup> element ➤ Warming

  Center<sup>TM</sup> element ➤ Cook & Hold, Favorite Settings and Keep Warm<sup>TM</sup> options ➤ Hidden bake element ➤ Delay-start cooking and cleaning
- Two oven racks > Storage drawer > Curved front styling > Available in Euro-Style Stainless design or Floating Glass design in black or frost white (shown), with Euro-Style stainless steel towel bar handle (Available Spring 2006)

(Not available in Canada)

There is no love sincerer than the love of food. George Bernard Shaw





#### 30" DUAL-FUEL WITH CONVECTION JDS8850BD

➤ Gas cooktop combined with electric oven ➤ Four sealed burners with Flame-Sensing™ automatic reignition ➤ Ultra high performance 16,000 BTU PowerBurner and ultra low burner that reduces to 650 BTU  $\succ$  EvenThree<sup>TM</sup> burner that delivers 15,000 BTU yet reduces to 750 BTU ➤ 4.5 cu. ft. CustomClean™ selfcleaning bake/broil oven > MultiMode® convection with Auto Convection Conversion > Menu-driven electronic oven controls > Cook & Hold, Favorite Settings, Rapid Preheat and Keep Warm™ options > Temperature Probe > Hidden bake element > Delay start cooking and cleaning > Three oven racks > Warming drawer ➤ Porcelain-on-cast iron burner grates ➤ Curved front styling > Available in Euro-Style Stainless design with black satin-matte burner grates and caps or in Floating Glass design in black (shown) or white with black satin-matte burner grates and caps, with Euro-Style stainless steel towel bar handle (Available Spring 2006)



#### OPTIONAL ACCESSORIES



#### SIDE PANEL UXA1100AA

 For use on a slide-in range in a free-standing installation when range side is exposed > Available in black, white, bisque or stainless steel

#### **CUSTOM BACKSPLASH UXA9107AA**

- ➤ Adds 6" to range height
- ➤ Available in black, white or bisque



## CUSTOM BACKSPLASH

#### UXA9107AAS

➤ Stainless steel finish ➤ Adds 12" to range height

#### FILLER KIT K71FILL (NOT SHOWN)

➤ For use when cabinet cut depth exceeds 23 ½"

➤ Available in black, white or bisque

Note: Backsplash and side panel above are for use on Jenn-Air® slide-in ranges shown in this brochure. For information regarding accessories for Jenn-Air® ranges shown in previous brochures, call Consumer Parts Sales at 1-800-232-6771



#### PRO-STYLE™ BACKSPLASH

JXA9130AAP 30" height

➤ Stainless steel finish ➤ Includes light and shelf For use on JDS9865BDP and JGS8860BDP ranges

### GAS SLIDE-IN RANGES

Jenn-Air® gas ranges featuring the 15,000/3,000/750 BTU EvenThree™ sealed burner offer outstanding cooking control and flexibility. Our ultra high performance 16,000 BTU PowerBurner provides quick response to bring water to a boil quickly and the 5,000 BTU ultra-low burner reduces to 650 BTUs for heating delicate sauces and melting chocolate. Select models also offer a one-speed MultiMode® convection oven with Convect Bake, Convect Roast and Convect Pastry options and Auto Convection Conversion. The electric convection assist element provides even browning on all racks and superb roasting results. A drying feature and Bread Proofing are also included on gas models with convection.

# 30" GAS DOWNDRAFT WITH CONVECTION JGS9900BD

- ➤ Two-speed ventilation fan ➤ Glass-ceramic cooking surface
  ➤ 4.3 cu. ft. CustomClean™ self-cleaning bake/broil oven
- ➤ One-speed MultiMode® Convection with electric convect assist element ➤ Auto Convection Conversion ➤ Menu-driven electronic oven controls ➤ Four sealed burners with Flame-Sensing™ automatic reignition including an ultra high performance 16,000 BTU PowerBurner ➤ One EvenThree™ burner that delivers 15,000 BTU yet reduces to 750 BTU setting ➤ Ultra low 5,000 BTU output burner that reduces to 650 BTU
- ➤ Cook And Hold, Favorite Settings, Rapid Preheat and Keep Warm™ options ➤ Temperature Probe ➤ Delay-Start cooking and cleaning ➤ Three oven racks ➤ Curved front styling ➤ Available in Euro-Style Stainless design with black satin-matte burner grates and caps (shown) or Floating Glass design in black or frost white with black satin-matte burner grates and caps, with Euro-Style stainless steel towel bar handle

(Available Spring 2006)







### WARMING AND STORAGE DRAWERS

Warming Drawer enables you warm breads and plates, or keep food warm until you're ready to serve the meal.

Convenient **Storage Drawer** provides added space for storing lids, cookware or cooking utensils.



#### 30" GAS WITH CONVECTION JGS8850BD

➤ Four sealed burners with Flame-Sensing™ automatic reignition ➤ Ultra high performance 16,000 BTU PowerBurner and ultra low burner that reduces to 650 BTU ➤ EvenThree™ burner that delivers 15,000 BTU yet reduces to 750 BTU ➤ 4.5 cu. ft. CustomClean™ self-cleaning bake/broil oven ➤ One-speed MultiMode® Convection with electric convect assist element ➤ Auto Convection Conversion ➤ Menu-driven electronic oven controls ➤ Cook & Hold, Favorite Settings, Rapid Preheat and Keep Warm™ options ➤ Temperature Probe ➤ Delay-start cooking and cleaning
Three oven rocks ➤ Warming drawer ➤ Porcelain on cost iron burners.

➤ Three oven racks ➤ Warming drawer ➤ Porcelain-on-cast iron burner grates ➤ Curved front styling ➤ Available in Euro-Style Stainless design with black satin-matte burner grates and caps or in Floating Glass design in black (shown), white or bisque with black satin-matte burner grates and caps, with Euro-Style stainless steel towel bar handle

(Available Spring 2006)

(Bisque not available in Canada)





#### 30" GAS JGS8750BD

➤ Four sealed burners with Flame-Sensing™ automatic reignition

➤ Ultra high performance 16,000 BTU PowerBurner and ultra low burner that reduces to 650 BTU ➤ 4.5 cu. ft. CustomClean™ self-cleaning bake/ broil oven ➤ Menu-driven electronic oven controls ➤ Cook & Hold, Favorite Settings and Keep Warm™ options ➤ Delay-start cooking and cleaning ➤ Two oven racks ➤ Storage drawer ➤ Porcelain-on-cast iron burner grates ➤ Curved front styling ➤ Available in Euro-Style Stainless design with black satin-matte burner grates and caps or in Floating Glass design in black or white (shown) with black satin-matte burner grates and caps, with Euro-Style stainless steel towel bar handle

#### CREATE-A-SPACE™ HALF-RACK



➤ This heavy duty full-width rack converts to a half-rack making a convenient place for a side dish when a large item occupies the main rack. The portion of the rack that is removed may be used as a trivet or cooling rack. For use in slide-in ranges and wall ovens.

MODEL #: UXA4905ADX

#### **DRYING RACK**



➤ High-quality rack allows air to circulate evenly around items being dried ➤ Mesh design is ideal for large and small pieces ➤ For use in wall ovens and ranges with the dehydration feature

MODEL #: DRYINGRACK



### FREE-STANDING RANGES

Designed to be stylish, dependable and versatile, Jenn-Air® free-standing ranges are the ideal choice for any cook.

Two-speed, MultiMode® convection provides Convect Bake, Convect Roast and Drying capabilities for outstanding results.

**Auto Convection Conversion** automatically converts your recipes to the correct convection time and/or temperature settings, making convection cooking easier than ever!

**Cook & Hold setting** automatically adjusts to a Keep Warm™ setting for up to an hour once preset cook time has expired – a real convenience with today's busy schedules.

**5.22 cu. ft. overall capacity** provides ample space to cook an entire meal with ease.



# 30" DUAL-FUEL DOUBLE OVEN WITH CONVECTION JDR8895AA

#### COOKTOP FEATURES:

> 5 gas sealed burners including an ultra high performance
 16,000 BTU PowerBurner ➤ Ultra low output burner that reduces to 600 BTUs ➤ Electronic ignition
 ➤ Matte black burner grates and caps

#### UPPER OVEN FEATURES:

> 1.22 cu. ft. oven with bake, broil, toast and keep warm features > CustomClean™ self-cleaning oven with auto-lock > Electronic oven controls

# LOWER OVEN FEATURES: > 4.0 cu. ft. bake/broil oven with MultiMode® convection > Auto

Convection Conversion ➤ CustomClean™ self-cleaning oven with auto-lock ➤ Electronic oven controls ➤ Proofing, Cook & Hold, Favorite Setting and Keep Warm™ options ➤ 5 oven rack positions ➤ Available in Euro-Style Stainless design with black accents (shown) or Floating Glass in black or white, with Euro-Style stainless steel towel bar handles



The first Jenn-Air® **Dual-Fuel** Double Oven Range with gas cooking surface and electric double ovens allows you to cook two different foods at two different temperatures, and it fits in the same space as a standard range. The 1.22 cu.

ft. upper oven is fully-equipped with bake, broil, toast and keep warm functions. Plus, it preheats in half the time as a full-sized oven. The lower oven features 2-speed MultiMode® convection for complete cooking versatility.

### FREE-STANDING ELECTRIC RANGES

Extra-large 12"/9" Dual-Choice™ element, the industry's largest\*, maximizes heating power for larger pans.

Convenient warming drawer is an ideal way to warm breads and plates, or keep food warm.

**Two-speed, MultiMode® convection** provides Convect Bake and Convect Roast capabilities. A third element enhances the convection system for outstanding results.

**Hidden bake element** provides a smooth surface in the bottom of the oven that is easy to wipe clean and prevents spills from burning onto the element.



\*Excluding Maytag family of brands.



# 30" FREE-STANDING ELECTRIC WITH CONVECTION JER8885QA

- ➤ Glass-ceramic cooking surface ➤ 5.22 cu. ft. bake/broil oven with MultiMode® convection ➤ Auto Convection Conversion ➤ CustomClean™ self-cleaning oven
- ➤ 12"/9" Dual-Choice™ radiant element ➤ 9"/6" Dual-Choice™ radiant element
- ➤ 6" Warming Center™ element ➤ On indicator and hot surface indicator light
- Electronic oven controls > Proofing, Cook & Hold, Favorite Setting and Keep
   Warm™ options > Warming drawer > Three oven racks including a full-width
   rack that converts to a Create-A-Space™ half-rack > 8 oven rack positions
- ➤ Available in Euro-Style Stainless design with black accents or Floating Glass in black (shown) or frost white, with Euro-Style stainless steel towel bar handle (Available in Canada in black or stainless steel)





#### 30" FREE-STANDING ELECTRIC JER8785QA

- ➤ Glass-ceramic cooking surface ➤ 5.22 cu. ft. bake/broil oven
  ➤ CustomClean<sup>TM</sup> self-cleaning oven ➤ 12"/9" Dual-Choice<sup>TM</sup>
  element ➤ 9"/6" Dual-Choice<sup>TM</sup> element ➤ 6" Warming Center<sup>TM</sup>
  element ➤ On indicator and hot surface indicator light ➤ Electronic
  oven controls ➤ Cook & Hold, Favorite Setting and Keep Warm<sup>TM</sup>
  options ➤ Warming drawer ➤ Two oven racks including a full-width
  rack that converts to a Create-A-Space<sup>TM</sup> half-rack ➤ 8 oven rack
  positions ➤ Available in Euro-Style Stainless design with black
  accents or Floating Glass in black or frost white (shown), with Euro-
  - Style stainless steel towel bar handle (Not available in Canada)

See page 128 for complete features and specifications.

### FREE-STANDING GAS RANGES

**Two-speed, MultiMode® convection** provides Convect Bake and Convect Roast capabilities for outstanding results.

**5 sealed burners** provide easy cleanup and greater cooking flexibility with a burner at the center of the cooking surface that reduces to 600 BTUs.

**High performance 16,000 BTU burner** offers quick heat-up for boiling, and provides the power you need when you're cooking for a crowd.





The Create-A-Space™ half-rack converts from a full-width rack to a convenient half-rack, enabling you to fit side dishes into the oven without sacrificing space needed for larger items on the main rack.



# 30" FREE-STANDING GAS WITH CONVECTION JGR8875QD

➤ 5 sealed burners including an ultra high performance 16,000 BTU PowerBurner ➤ Ultra low output burner that reduces to 600 BTUs

➤ Electronic ignition ➤ Porcelain-on-cast iron burner grates and caps ➤ 5.22 cu.

ft. bake/broil oven with two-speed MultiMode® convection ➤ Auto Convection

Conversion ➤ CustomClean™ self-cleaning oven ➤ Electronic oven controls ➤

Proofing, Cook & Hold, Favorite Setting and Keep Warm™ options ➤ Spacious

storage drawer ➤ Three oven racks including a full-width rack that converts to a

Create-A-Space™ half-rack ➤ 8 oven rack positions ➤ Available in Euro-Style

Stainless design with black accents and black gloss burner grates (shown) or

Floating Glass in black with black gloss burner grates and caps or white with

gray gloss burner grates and caps, with Euro-Style stainless steel towel bar handle





#### 30" FREE-STANDING GAS JGR8775QD

> 5 sealed burners including an ultra high performance 16,000 BTU PowerBurner > Ultra low output burner that reduces to 600 BTUs

➤ Electronic ignition ➤ Porcelain-on-cast iron burner grates and caps ➤ 5.22 cu. ft. bake/broil oven ➤ CustomClean<sup>™</sup> self-cleaning oven ➤ Electronic oven controls ➤ Cook & Hold, Favorite Setting and Keep Warm<sup>™</sup> options ➤ Spacious storage drawer ➤ Two oven racks including a full-width rack that converts to a Create-A-Space<sup>™</sup> half-rack ➤ 8 oven rack positions ➤ Available in Euro-Style Stainless design with black accents and black gloss burner grates or Floating Glass in black with black gloss burner grates and caps or white with gray gloss burner grates and caps (shown), with Euro-Style stainless steel towel bar handle